
References

- Aylesworth, Z., D.B. Houpt, J. Kahan, and S. Stinson. 1995. Arkansas Creek Watershed Management Plan Summary. Cowlitz County Conservation District. Kelso, WA.
- Barlow, J. and eight co-authors. 1995. U.S. Pacific Marine Mammal Stock Assessments. National Oceanic and Atmospheric Administration Technical Memorandum NOAA-PM-NWFS-SWFSC-219.
- Behnke, R.J. 1992. Native trout of western North America. American Fisheries Society Monograph 6. 275pp.
- Beschta, R.L., J.R. Boyle, C.C. Chambers, W.P. Gibson, S.V. Gregory, J. Grizzel, J.C. Hagar, J.L. Li, W.C. McComb, M.L. Reiter, G.H. Taylor, and J.E. Warila. 1995. Cumulative effects of forest practices in Oregon. Oregon State University, Corvallis. Prepared for the Oregon Department of Forestry, Salem, OR.
- Bisson, P.A. and J.R. Sedell. 1984. Salmonid populations in streams in clearcuts vs. old-growth forests of western Washington. *in*: Meehan, W.R., T.R. Merrell, Jr., and T.A. Hanley *ed*. Proceedings, fish and wildlife relationships in old-growth forests symposium. American Institute of Fishery Research Biologists, Asheville, NC.
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. p. 83-138. In W.R. Meehan (editor). Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. 751pp.
- Bosch, J.M. and J.D. Hewlett. 1982. A review of catchment experiments to determine the effect of vegetation changes on water yield and evapotranspiration. *Journal of Hydrology*. 55:3-23.
- Bradford, R.H., S.A. Leider, P.L. Hulett, and C.W. Wagemann, 1996. Differential leaping success by adult summer and winter steelhead at Kalama Falls: implications for estimation of steelhead spawner escapement. Fish Management Program, Resource Assessment Division Technical Report RAD 96-02. Washington Department of Fish and Wildlife, Olympia, WA. 56pp.
- Bugert, R.M. 1998. Mechanics of supplementation in the Columbia River. *Fisheries* 23(1):11-20.
- Burgner, R.L., J.T. Light, L. Margolis, T. Okazaki, A. Tautz, and S. Ito. 1992. Distribution and origins of steelhead trout (*Oncorhynchus mykiss*) in offshore waters of the North American Pacific Ocean. International North Pacific Fisheries Commission. Bulletin 51, Vancouver, Canada. 92pp.
- Busby, P.J., T.C. Wainwright, G.J. Bryant, L.J. Lierheimer, R.S. Waples, F.W. Waknitz, and I.V. Lagomarsino. 1996. Status review of west coast steelhead from Washington, Idaho, Oregon, and California. U.S. Dept. of Commerce, NOAA Technical Memorandum NMFS-NWFSC-27. 261pp.

-
- Byrne, A., T.C. Bjornn, and J.D. McIntyre. 1992. Modeling the response of native steelhead to hatchery supplementation programs in an Idaho river. *North American Journal of Fisheries Management* 12:62-78.
- Byrne, J. 1995. Stock characteristics and hatchery investigations of anadromous fish at Beaver Creek and Skamania Hatcheries. Washington Department of Fish and Wildlife. Report No. H95-01.
- Cederholm, C.J., L.M. Reid, and E.O. Salo. 1981. Cumulative effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson County, Washington. Pages 38-74 in *Proceedings, conference on salmon spawning gravel: a renewable resource in the Pacific Northwest?* Report 39. Washington State University, Water Research Center, Pullman, WA.
- Chilcote, M.W. 1998. Conservation status of steelhead in Oregon. Oregon Department of Fish and Wildlife, Information Report 98-3, Portland, OR 108pp.
- Collins, B. and T. Dunne. 1990. Fluvial geomorphology and river-gravel mining: a guide for planners, case studies included. Special Publication 98. California Department of Conservation, Division of Mines and Geology, Sacramento, CA.
- Cooper, R. and T.H. Johnson. 1992. Trends in steelhead abundance in Washington and along the Pacific coast of North America. Washington Department of Wildlife, Fisheries Management Division Report 92-20. Olympia, WA. 90pp.
- Crawford, B.A. 1979. The origin and history of the trout brood stocks of the Washington Department of Game. Washington State Department of Game. Fishery research report. 76pp.
- Cramer, S.P. 1997. Synthesis and analysis of the Lower Columbia River Steelhead Initiative. S.P. Cramer and Associates, Portland, OR.
- Cuenca, M.L., T.W.H. Backman, and P.R. Mundy. 1993. The use of supplementation to aid in natural stock restoration. Pages 269-293 In J.G. Cloud and G.H. Thorgaard, editors. *Genetic Conservation of Salmonid Fishes*. Plenum Press, NY.
- Emmett, R.L. 1997. Estuarine survival of salmonids: The importance of interspecific and intraspecific predation and competition. *Proceedings of the Estuarine and Ocean survival workshop, March 20-22, 1996, National Marine Fisheries Service*.
- FEMAT (Forest Ecosystem Management Assessment Team). 1993. Forest ecosystem management: and ecological, economic, and social assessment. U.S. Forest Service, Portland, OR.
- Friesen, T.A., and Ward, D.L. In press. Management on northern squawfish and implications for juvenile salmonid survival in the lower Columbia and Snake Rivers. Oregon Dept. Of Fish and Wildlife. Clackamas, OR. 22 pp.
- Frissell, C.A. 1993. A new strategy for watershed restoration and recovery of Pacific salmon in the Pacific Northwest. Report to the Pacific Rivers Council, Eugene, OR 33pp.

-
- Fryer, J.K. In press. Frequency of pinniped-caused scars and wounds on adult spring-summer chinook and sockeye salmon returning to the Columbia River. Columbia River Inter-Tribal Fish Commission. Portland, OR.
- Gibbons, R.G., P.K.J. Hahn, and T.H. Johnson. 1985. Methodology for determining MSH steelhead spawning escapement requirements. Fisheries Management Division Report 85-11, Washington Department of Game, Olympia, WA.
- Grant, W.S. (editor) 1997. Genetic effects of straying of non-native hatchery fish into natural populations: Proceedings of the Workshop, June 1-2, 1995 in Seattle, Washington. NOAA Technical Memorandum NMFS-NWFSC-30. 130pp.
- Hard, J.J., R.P. Jones, Jr., M.R. Delarm, and R.S. Waples. 1992. Pacific salmon and artificial propagation under the Endangered Species Act. NOAA Technical Memorandum NMFS-NWFSC-2. 56pp.
- Harr, R.D. and T.W. Cundy. 1992. The November 1990 floods in western Washington, U.S.A. Pages 229-239 in Proceedings, Interprevent 1992: symposium on protection of habitat against floods, debris flows, and avalanches, 28 June-3 July 1992. Bern, Switzerland.
- Hemmingway, R. 1997. Salmon and the Northwest. Open Spaces 1(1): 6-17.
- Houpt, D.B., Z. Aylesworth, and S. Stinson. 1996. Silver Lake Watershed Management Plan Summary. Cowlitz County Conservation District. Kelso, WA.
- Huber, H.R., B. Hanson, M. Gosh, and R.L. Delong. 1996. Preliminary investigations on pinniped/spring chinook interactions on the Columbia River. Draft Report. National Marine Mammal Laboratory, Seattle, WA.
- Hulett, P.L. and S.A. Leider. 1993. Genetic conservation of wild steelhead in Washington streams. A genetically-based conservation and management model to integrate hatchery and wild production. Fishery Management Division Report 93-17. Washington Department of Wildlife, Olympia. 58pp.
- Hulett, P.L., C.W. Wagemann, and S.A. Leider. 1996. Studies of hatchery and wild steelhead in the lower Columbia region. Progress report for fiscal year 1995. Fish Management Program Report RAD 96-01, Washington Department of Fish and Wildlife, Olympia. 22pp.
- Ice, G.W. 1985. Catalog of landslide inventories for the northwest. National Council of the Paper Industry for Air and Stream Improvement, Technical Bulletin 456, New York, NY.
- IHOT. 1994. Integrated Hatchery Operations Team. Policies and procedures for Columbia basin anadromous salmonid hatcheries. Bonneville Power Administration, Portland, OR.

-
- ISG. 1996. Independent Scientific Group. Return to the river: restoration of salmonid fishes in the Columbia River ecosystem. Pub. 96-6, Northwest Power Planning Council, Portland, OR. 584pp.
- Kershner, J.L. 1997. Monitoring and adaptive management. Pages 116-131, in D.J. Stouder, P.A. Bisson, and R.J. Naiman, editors. Pacific salmon and their ecosystems: status and future options. Chapman and Hall, NY.
- Lawson, P.W. 1993. Cycles in Ocean productivity trends in habitat, quality, and restoration of salmon runs in Oregon. Fisheries. 18:6-10.
- Leider, S.A. 1989. Increased straying by adult steelhead trout, *Salmo gairdneri*, following the 1980 eruption of Mount St. Helens. Environmental Biology of Fishes 24: 219-229.
- Leider, S.A. 1997. Status of sea-run cutthroat trout in Washington. Pages 68-76 in J.D. Hall, P.A. Bisson, and R.E. Gresswell, editors. Sea-run cutthroat trout: biology, management, and future conservation. Oregon Chapter, American Fisheries Society, Corvallis.
- Leider, S.A., M.W. Chilcote, and J.J. Loch. 1984. Spawning characteristics of sympatric populations of steelhead trout (*Salmo gairdneri*): evidence for partial reproductive isolation. Canadian Journal of Fisheries and Aquatic Sciences 41: 1454-1462.
- Leider, S.A., M.W. Chilcote, and J.J. Loch. 1986. Comparative life history characteristics of hatchery and wild steelhead trout (*Salmo gairdneri*) of summer and winter races in the Kalama River, Washington. Canadian Journal of Fisheries and Aquatic Sciences 43: 1398-1409.
- Leider, S.A., P.L. Hulett, J.J. Loch, and M.W. Chilcote. 1990. Electrophoretic comparison of the reproductive success of naturally spawning transplanted and wild steelhead trout through the returning adult stage. Aquaculture 88: 239-252.
- Leider, S.A., P.L. Hulett, and T.H. Johnson. 1994. Preliminary assessment of genetic conservation management units for Washington steelhead: implications for WDFW's draft steelhead management plan and the federal ESA. Fisheries Management Program, Report 94-15, Washington Department of Fish and Wildlife. 42pp.
- Leider, S.A., S.R. Phelps, and P.L. Hulett. 1995. Genetic analysis of Washington steelhead: implications for revision of genetic conservation management units. Fish Management Program Progress report, Washington Department of Fish and Wildlife. 21pp.
- Li, H.W., and 12 coauthors. 1995. Safe havens: refuges and evolutionarily significant units. Pages 371-380 in J.L. Nielsen, editor. Evolution and the aquatic ecosystem: defining unique units in population conservation. American Fisheries Society Symposium 17, Bethesda, Maryland.
- Loch, J.J., S.A. Leider, M.W. Chilcote, R. Cooper, and T.H. Johnson. 1988. Differences in yield, emigration-timing, size, and age structure of juvenile steelhead from two small western Washington streams. California Fish and Game 74: 106-118.

-
- McMichael, G.M., T.N. Pearsons, and S.A. Leider. In press. Minimizing ecological impacts of hatchery-reared juvenile steelhead on wild salmonids in a Yakima Basin tributary. Proceedings of the April 25-30, 1996, Sustainable Fisheries Conference, Victoria, British Columbia.
- McMichael, G.M., C.S. Sharpe, and T.N. Pearsons. 1997. Effects of residual hatchery-reared steelhead on growth of wild rainbow trout and spring chinook salmon. Transactions of the American Fisheries Society 126: 230-239.
- NMFS. 1996a. Steelhead conservation measures: a supplement to the notice of determination for west coast steelhead under the Endangered Species Act. Environmental and Technical Services, National Marine Fisheries Service, Portland, OR.
- NMFS. 1996b. Factors for decline: a supplement to the notice of determination for west coast steelhead under the Endangered Species Act. Environmental and Technical Services, National Marine Fisheries Service, Portland, OR.
- NMFS. 1996c. Coastal salmon conservation: working guidance for comprehensive salmon restoration initiatives on the Pacific coast. National Marine Fisheries Service. Seattle, WA.
- NMFS. 1997. Investigation of scientific information on the impacts of California sea lions and Pacific Harbor seals on salmonids and on the coastal ecosystems of Washington, Oregon, and California NOAA Technical Memorandum NMPS-NWPS-28. 172pp.
- Noss, R.F., and A.Y. Cooperrider. 1994. Saving Nature's Legacy: Protecting and Restoring Biodiversity. Island Press, Washington, D.C. 416pp.
- NRC. 1996. Upstream: salmon and society in the Pacific Northwest. Report of the Committee on Protection and Management of Pacific Northwest Anadromous Salmonids. National Research Council, National Academy Press, Washington, DC.
- Pearsons, T.N., and C.W. Hopley. 1998. A practical approach for assessing ecological risks associated with stocking anadromous salmonids. In Yakima River species interactions studies, progress report 1995-1997. Bonneville Power Administration, Portland, OR.
- Pfeifer, B. 1987. Managing around marine mammal predation on winter steelhead returning to Lake Washington. Wash. Department of Wildlife. Fish Management Program Report No. 87-7. 99pp.
- Phelps, S.R., B.M. Baker, P.L. Hulett, and S.A. Leider. 1994. Genetic analysis of Washington steelhead: initial electrophoretic analysis of wild and hatchery steelhead and rainbow trout. Washington Department of Fish and Wildlife, Fish Management Program Report 94-9, Olympia, WA. 63pp.
- Phelps, S.R., S.A. Leider, P.L. Hulett, B.M. Baker, and T. Johnson. 1997. Genetic analyses of Washington steelhead: preliminary results incorporating 36 new collections from 1995 and 1996. Fish Management Program Progress Report, Washington Department of Fish and Wildlife, Olympia.

-
- Phinney, L.A. and P. Bucknell. 1975. A catalog of Washington streams and salmon utilization. Vol. 2, Coastal Region. Washington Department of Fisheries. Olympia, WA.
- Reid, L.M. and T. Dunne. 1984. Sediment production from forest road surfaces. *Water Resources Research* 20:1753-1761.
- Rieman, B.E., R.C. Beamesderfer, S. Vigg, and T.P. Poe. 1991. Estimated loss of juvenile salmonids to predation by northern squawfish, walleyes, and smallmouth bass in John Day Reservoir, Columbia River. *Transactions of the American Fisheries Society* 120: 448-458.
- Reisenbichler, R.R. 1997. Genetic factors contributing to declines of anadromous salmonids in the Pacific Northwest. Pages 223-244, in D.J. Stouder, P.A. Bisson, and R.J. Naiman, editors. *Pacific salmon and their ecosystems: status and future options*. Chapman and Hall, NY.
- Reisenbichler, R.R. and J.D. McIntyre. 1977. Genetic differences in growth and survival of juvenile hatchery and wild steelhead trout, *Salmo gairdneri*. *Journal of the Fisheries Research Board of Canada* 34:123-128.
- Reisenbichler, R.R. and G. Brown. 1995. Is genetic change from hatchery rearing anadromous fish really a problem? *American Fisheries Society Symposium* 15:578-579.
- Roffe, T.J. and B.R. Matte. 1984. Abundance and feeding habitats of pinnipeds in the Rogue River, Oregon. *Journal of Wildlife Management* 48: 1262-1274.
- Rothfus, L.O., W.D. Ward, and E. Jewell. 1957. Grays River steelhead trout population study, December 1955 through April 1956. Washington Department of Fisheries.
- Ryman, N. and F. Utter. 1987. Population genetics and fishery management. Washington Sea Grant, University of Washington Press, Seattle. 420pp.
- Schramm, H.L., Jr. and R.G. Piper (Editors). 1995. Uses and effects of cultured fishes in aquatic ecosystems. *American Fisheries Society Symposium* 15. 608pp.
- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. TR-4501-96-6057. ManTech Environmental Research Services Corporation, Corvallis, OR. 356pp.
- Stanford, J.A., J.V. Ward, W.J. Liss, C.A. Frissell, R.N. Williams, J.A. Lichatowich, and C.C. Coutant. 1996. A general protocol for restoration of regulated rivers. *Regulated Rivers and Research* 12: 391-413.
- State of Oregon. 1997. Coastal salmon restoration initiative: the Oregon plan. State of Oregon, Salem, OR.
- Stouder, D.J., P.A. Bisson, and R.J. Naiman. 1997. *Pacific salmon and their ecosystems: status and future options*. Chapman and Hall, NY.
- USFS 1996. Upper Kalama Watershed Analysis. Gifford Pinchot National Forest. Vancouver, WA.

-
- USFS 1995. Upper East Fork of the Lewis River Watershed Analysis. Gifford Pinchot National Forest. Vancouver, WA.
- Walters, C.J. 1986. Adaptive management of renewable resources. Macmillan Press, NY.
- Waples, R.S., G.A. Winans, F.M. Utter, and C. Mahnken. 1990. Genetic approaches to the management of Pacific salmon. Fisheries 15: 19-25.
- Ward, D.L., J.H. Petersen, and J.J. Loch. 1995. Index of predation on juvenile salmonids in the lower and middle Columbia River and in the lower Snake River. Transactions of the American Fisheries Society. 124: 321-334.
- Washington Department of Fisheries, Washington Department of Wildlife, and Western Washington Treaty Indian Tribes. 1993. 1992 Washington State Salmon and Steelhead Stock Inventory. 212pp.
- Washington Department of Fish and Wildlife. 1997a. Final environmental impact statement for the wild salmonid policy. Washington Department of Fish and Wildlife, Olympia, WA.
- Washington Department of Fish and Wildlife. 1997b. Washington State Salmonid Stock Inventory: Bull Trout/Dolly Varden. Washington Department Fish and Wildlife, Fish Management Program, Olympia, WA. 437pp.
- Washington Department of Natural Resources, Hansen Natural Resources, International Paper, Weyerhaeuser Co. 1996. North Elochoman watershed analysis. Washington Department of Natural Resources. Castle Rock, WA.
- Washington Fish and Wildlife Commission. 1997. Resolution of the Washington Fish and Wildlife Commission adopting policies to sustain and rebuild wild salmonid stocks. December 5, 1997.
- Weyerhaeuser. 1996. Upper Coweeman watershed analysis; Draft. Weyerhaeuser Company. Federal Way, WA.
- Williams, J.E., C.A. Wood, and M.P. Dombeck. 1997. Watershed restoration: principles and practices. American Fisheries Society, Bethesda, MD. 561pp.
- Wydoski, R.S. and R.R. Whitney. 1979. Inland fishes of Washington. University of Washington Press, Seattle, WA. 220pp.
- Wood, C. 1987. Predation by the common merganser (*Mergus merganser*) on Eastern Vancouver Island. I: Predation during the seaward migration. Canadian Journal of Fisheries and Aquatic Sciences. 44: 941-949.
- Zimmerman, M.P., and D.L. Ward. In press. Index of predation on juvenile salmonids by northern squawfish in the lower Columbia River basin. Oregon Department of Fish and Wildlife. Clackamas, OR 21 pp.